

# Sliding Panel Systems




# Application Chart


Operation	Dimensions		Applications	Profile	Features / Options			Fitting Options	Fitting Surfaces	System												
	max	max			Gliding Channel (mm)	Number of Channels	Min. Bending Radius (mm)				Rollers and Gliders available	Various Motor Options	Radio Control	Design Fascia available	Easy Washing	Folding Panel	Ceiling Fix	Wall Fix	Recess Fix	Wood	Concrete	Suspended Ceiling
	∞	4 m	● ● ● ●	10122 / 10123 / 10124 / 10125	Various Profile Options	4.2	2-5	150	●	●	●	●	●	●	●	●	●	●	2700			
	6 m	4 m	● ● ● ●						●	●	●	●	●	●	●	●	●	●		●	●	●
	10 m	4 m	● ● ● ●						●	●	●	●	●	●	●	●	●	●		●	●	●
	∞	3 m	● ● ● ●	10132 / 10133 / 10134 / 10135	Various Profile Options	4.2	2-5	150	●	●	●	●	●	●	●	●	●	2730				
	6 m	3 m	● ● ● ●						●	●	●	●	●	●	●	●	●		●	●	●	
	5 m	3 m	● ● ● ●	2655					●	●	●	●	●	●	●	●	●	2640				
	5 m	3 m	● ● ● ●	2655					●	●	●	●	●	●	●	●	●	2650				

## Profiles for Silent Gliss 2700 & 2730


### Silent Gliss 2700



### Silent Gliss 2730




### Silent Gliss 2760




## Operation Methods Silent Gliss 2700 & 2730

### Silent Gliss 2700





### Silent Gliss 2730 & 2760



## Possible Profile Combinations Silent Gliss 2700

### Silent Gliss 2700




## Stacking Variations

### Silent Gliss 2700, 2730 & 2760 Stacking variations



2700: A, B, C  
2730 & 2760: A, B




2700: A, B, C (Max. 5)  
2730 & 2760: A, B (Max. 5)




2700: A, B, C  
2730 & 2760: A, B

These are only a few variation possibilities


### Silent Gliss 2600, 2640 & 2650 Stacking variations



Stacking from the left



Stacking from the right



Symmetrical Stacking



Asymmetrical Stacking









[www.silentgliss.co.uk](http://www.silentgliss.co.uk)

[www.silentglissglobal.com](http://www.silentglissglobal.com)

Silent Gliss Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: +44 (0) 1843 863571  
Fax: +44 (0) 1843 864503  
[info@silentgliss.co.uk](mailto:info@silentgliss.co.uk)

Silent Gliss Global Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: +44 (0) 1843 874250  
Fax: +44 (0) 1843 874457  
[info@silentglissglobal.com](mailto:info@silentglissglobal.com)